Experimental Mechanics (2010) 50:1399–1414
DOI 10.1007/s11340-010-9427-2

Index to EXPERIMENTAL MECHANICS

TITLE INDEX

A Braking System for Tests with a Prescribed Deceleration Pulse, V. Giavotto, M. Anghileri, L.-M.L. Castelletti, A. Milanese, D.M. Manganini, 50(7), 915–930.

A Discontinuous Elastic Interface Transfer Model of Thin Film Nanoindentation, B. Zhou, B.C. Prorok, 50(6), 793–801.

A High-frequency High-temperature Optical Strain/Displacement Gage, W.N. Sharpe, Jr., 50(2), 227–237.

A Hybrid Experimental/Numerical Investigation of the Response of Multilayered MEMS Devices to Dynamic Loading, J. Kimberley, J. Lambros, I. Chasiotis, J. Pulskamp, R. Polcawich, M. Dubey, 50(4), 527–544.

A Load-Based Multiple-Partial Unloading Micro-Indentation Technique for Mechanical Property Evaluation, C. Feng, J.M. Tannenbaum, B.S. Kang, M.A. Alvin, 50(6), 737–743.

A Multi-step Method for *In Situ* Mechanical Characterization of 1-D Nanostructures Using a Novel Micromechanical Device, Y. Lu, Y. Ganesan, J. Lou, 50(1), 47–54.

A New Perspective in Adhesion Science and Technology: Testing Dynamic Failure of Adhesive Junctions for Space Applications, D. Bortoluzzi, M. Benedetti, L. Baglivo, S. Vitale, 50(8), 1213–1223.

A Novel "Subset Splitting" Procedure for Digital Image Correlation on Discontinuous Displacement Fields, J. Poissant, F. Barthelat, 50(3), 353–364.

A Novel Experimental Approach for Calculating Stress Intensity Factors from Isochromatic Data, F.A. Diaz, E.A. Patterson, P. Siegmann, 50(2), 273–281.

A Reconciliation of Viscous and Inviscid Approaches to Computing Locomotion of Deforming Bodies, J.D. Eldredge, 50(9), doi:10.1007/s11340-009-9275-0.

A Review of External Pressure Testing Techniques for Shells including a Novel Volume-Control Method, J.R. MacKay, F. van Keulen, 50(6), 753–772.

A Review of Fatigue Behavior in Nanocrystalline Metals, H.A. Padilla II, B.L. Boyce, 50(1), 5–23.

A Semi-Circular Bend Technique for Determining Dynamic Fracture Toughness, F. Dai, R. Chen, K. Xia, 50(6), 783–791.

A Sequential Tensile Method for Rapid Characterization of Extreme-value Behavior in Microfabricated Materials, B.L. Boyce, 50(7), 993–997.

A Simplified Treatise of the Scott Bond Testing Method, P. Isaksson, P. Gradin, S. Östlund, 50(6), 745–751.

A Study on Hydraulic Autofrettage of Thick-Walled Cylinders Incorporating Bauschinger Effect, W.S. Shim, J.H. Kim, Y.S. Lee, K.U. Cha, S.K. Hong, 50(5), 621–626.

A Unified Introduction to Fluid Mechanics of Flying and Swimming at High Reynolds Number, C. Eloy, O. Doaré, L. Duchemin, L. Schouveiler, 50(9), doi:10.1007/s11340-009-9289-7.

Advances in Hole-Drilling Residual Stress Measurements, G.S. Schajer, 50(2), 159–168.

Aerodynamic Performance of a Gliding Swallowtail Butterfly Wing Model, H. Park, K. Bae, B. Lee, W.-P. Jeon, H. Choi, 50(9), doi:10.1007/s11340-009-9330-x.

An Experimental and Numerical Study of *Calliphora* Wing Structure, R. Ganguli, S. Gorb, F.-O. Lehmann, S. Mukherjee, S. Mukherjee, 50(8), 1183–1197.

An Experimental Method to Determine the Tensile Strength of Concrete at High Rates of Strain, B. Erzar, P. Forquin, 50(7), 941–955.

An Intelligent Hybrid Measurement Method for Steady Temperature Field, T. Nishioka, M. Wakabayashi, T. Fujimoto, 50(8), 1149–1155.

Assessment of Non-Adiabatic Behaviour in Thermoelastic Stress Analysis of Small Scale Components, W.J. Wang, J.M. Dulieu-Barton, Q. Li, 50(4), 449–461.

Bulge Testing Transparent Thin Films with Moiré Deflectometry, D. Xu, K.M. Liechti, 50(2), 217–225.

Calculation of Notch H-Integrals Using Image Correlation Experiments, S.H. Ju, 50(4), 517–525.

Characterization of Irradiation Damage of Ferritic ODS Alloys with Advanced Micro-Sample Methods, M.A. Pouchon, J. Chen, R. Ghisleni, J. Michler, W. Hoffelner, 50(1), 79–84.

Classical and Roll-hemming Processes of Pre-strained Metallic Sheets, N. Le Maoût, S. Thuillier, P.Y. Manach, 50(7), 1087–1097.

Collective Behaviour of Swimming Micro-organisms, T.J. Pedley, 50(9), doi:10.1007/s11340-010-9406-7.

Comparison of Low Impedance Split-Hopkinson Pressure Bar Techniques in the Characterization of Polyurea, T.P.M. Johnson, S.S. Sarva, S. Socrate, 50(7), 931–940.

Contactless and Frictionless Pure Bending, S.H.A. Boers, M.G.D. Geers, V.G. Kouznetsova, 50(6), 683–693.

Crack Stability of Fracture Specimens used to Test Unidirectional Fiber Reinforced Material, A. Szekrényes, 50(4), 473–482.

Damage of Optical Fibers Under Wet Environments, R. El Abdi, A.D. Rujinski, M. Poulain, I. Severin, 50(8), 1225–1234.

Deflection Measurement and Determination of Young's Modulus of Micro-cantilever Using Phase-shift Shadow Moiré Method, J.H. Lim, M.M. Ratnam, I.A. Azid, D. Mutharasu, 50(7), 1051–1060.

Design of Modified Tabs for Testing of Symmetric Composite Thin Walled Tubes Under Pure Torsional and Tensile Loadings, M.M. Shokrieh, A. Asadi, 50(3), 307–320.

Determination of Residual Stresses in High Speed Milled Aluminum Alloys Using a Method of Indent Pairs, F.V. Díaz, R.E. Bolmaro, A.P.M. Guidobono, E.F. Girini, 50(2), 205–215.

Determination of the Constitutive Relation Parameters of a Metallic Material by Measurement of Temperature Increment in Compressive Dynamic Tests, R. Guzmán, J. Meléndez, J. Zahr, J.L. Pérez-Castellanos, 50(3), 389–397.

ERRATUM: Determination of the Constitutive Relation Parameters of a Metallic Material by Measurement of Temperature Increment in Compressive Dynamic Tests, R. Guzmán, J. Meléndez, J. Zahr, J.L. Pérez-Castellanos, 50(3), 399.

Detwinning of Pure Zirconium: *In-Situ* Neutron Diffraction Experiments, G. Proust, G.C. Kaschner, I.J. Beyerlein, B. Clausen, D.W. Brown, R.J. McCabe, C.N., Tomé, 50(1), 125–133.

Development of an Optical System for Simultaneous Ultrasonic Propagation Imaging at Multi-points, J.-R. Lee, C.-Y. Yoon, 50(7), 1041–1049.

Digital Image Correlation for Improved Detection of Basal Cell Carcinoma, J.D. Krehbiel, J. Lambros, J.A. Viator, N.R. Sottos, 50(6), 813–824.

Digital Image Correlation Study of Plastic Deformation and Fracture in Fully Martensitic Steels, V. Savic, L.G. Hector Jr., J.R. Fekete, 50(1), 99–110.

Displacement and Strain Measurement by Circular and Radial Gratings Moiré Method, X. Xiao, Y. Kang, Z., Hou, W. Qiu, X. Li, X. Li, 50(2), 239–244.

Dynamic Separation of Resistance Spot Welded Joints: Part I—Experiments, Y.J. Chao, K. Wang, K.W. Miller, X.-K. Zhu, 50(7), 889–900.

Dynamic Separation of Resistance Spot Welded Joints: Part II—Analysis of Test Results and a Model, K. Wang, Y.J. Chao, X. Zhu, K.W. Miller, 50(7), 901–913.

EBSD Study of Delamination Fracture in Al-Li Alloy 2090, W. Tayon, R. Crooks, M. Domack, J. Wagner, A.A. Elmustafa, 50(1), 135–143.

Edge Finishing Effects on the Impact Behavior of Chopped GFRP Composites, T.M. Briggs, M. Ramulu, 50(3), 321–331.

EDITORIAL: Celebrating 50 years of *Experimental Mechanics*, H.D Espinosa, 50(1), 1–2.

Effect of Compressive Straining on Nanoindentation Elastic Modulus of Trabecular Bone, M. Gan, V. Samvedi, A. Cerrone, D.K. Dubey, V. Tomar, 50(6), 773–781.

Effects of Body Cross-sectional Shape on Flying Snake Aerodynamics, K. Miklasz, M. LaBarbera, X. Chen, J.J. Socha, 50(9), doi:10.1007/s11340-010-9351-5.

Elastic Constants Determination and Deformation Observation Using Brazilian Disk Geometry, C. Liu, 50(7), 1025–1039.

Elastic Deformation of Materials under Distributed Shear Loading, X.J. Ren, C.W. Smith, K.E. Evans, P.J. Dooling, A. Burgess, J. Wiechers, N., Zahlan, 50(5), 651–659.

Electromechanical Characterization of Au Thin Films using Micro-tensile Testing, S.J. Lee, J.M. Park, S.W. Han, S. M. Hyun, J.H. Kim, H.J. Lee, 50(5), 643–649.

Energy Emissions from Failure Phenomena: Mechanical, Electromagnetic, Nuclear, A. Carpinteri, F. Cardone, G. Lacidogna, 50(8), 1235–1243.

Environmental Constraints on the Mechanics of Crawling and Burrowing Using Hydrostatic Skeletons, K.M. Dorgan, 50(9), doi:10.1007/s11340-010-9399-2.

"Equivalent" Electromechanical Coefficient for IPMC Actuator Design Based on Equivalent Bimorph Beam Theory, H.D. Çilingir, M. Papila, 50(8), 1157–1168.

Experimental Analysis of Prepreg Tack, O. Dubois, J.-B. Le Cam, A. Béakou, 50(5), 599–606.

Experimental Evidence of Thermal Effects in Multiphase Ceramic Specimens Subjected to Cyclic Loading, X. Balandraud, G. Zhou, M. Grédiac, N. Tessier-Doyen, 50(7), 979–992.

Experimental Fracture Mechanics of Functionally Graded Materials: An Overview of Optical Investigations, C.-E. Rousseau, V.B. Chalivendra, H.V. Tippur, A. Shukla, 50(7), 845–865.

Experimental Investigation and Finite Element Analysis of Fatigue Crack Growth in Pipes Containing a Circumferential Semi-elliptical Crack Subjected to Bending, A.R. Shahani, M.M. Shodja, A. Shahhosseini, 50(5), 563–573.

Experimental Investigation of Strain Rate Dependence in Nanocrystalline Pt Films, K.N. Jonnalagadda, I. Chasiotis, S. Yagnamurthy, J. Lambros, J. Pulskamp, R. Polcawich, M., Dubey, 50(1), 25–35.

Experimental Study of Bending Behaviour of Reinforcements, E. de Bilbao, D. Soulat, G. Hivet, A. Gasser, 50(3), 333–351.

Experimentally Evaluating Equilibrium Stress in Uniaxial Tests, A. Goel, K. Strabala, M. Negahban, R. Feng, 50(6), 709–716.

Fatigue of the Near-Alpha Ti-Alloy Ti6242, T.K. Heckel, A. Guerrero Tovar, H.-J. Christ, 50(4), 483–489.

Following the Behavior of the Flagellar Rotary Motor Near Zero Load, J. Yuan, H.C. Berg, 50(9), doi:10.1007/s11340-009-9290-1.

Fracture Evaluation in a Ceramic Spherical Dome Port Under Shock Impact, S.G. Kwon, Y.S. Lee, J.H. Kim, J.H. Lee, K.T., Hwang, S.J. Yoon, 50(5), 589–597.

Full Field Strain Measurement of Resistant Spot Welds Using 3D Image Correlation Systems, Z. Lei, H.-T. Kang, G. Reyes, 50(1), 111–116.

Grandstand Simulator for Dynamic Human-Structure Interaction Experiments, A. Comer, A. Blakeborough, M.S. Williams, 50(6), 825–834.

GUEST EDITORIAL: Emerging Methods in Mechanical Behavior, B.L. Boyce, E.T. Lilliodden, X.C. Li, 50(1), 3.

GUEST EDITORIAL: Experimental Engineering and Applications, A. Öchsner, L.F.M. da Silva, 50(5), 561.

GUEST EDITORIAL: Mechanical Aspects of Biological Locomotion, A.E. Hosoi, E. Lauga, 50(9), doi:10.1007/s11340-010-9429-0.

High Temperature Nanoindentation of PMR-15 Polyimide, Y.C. Lu, D.C. Jones, G.P. Tandon, S. Putthanarat, G.A. Schoeppner, 50(4), 491–499.

High-rate Characterization of 304L Stainless Steel at Elevated Temperatures for Recrystallization Investigation, B. Song, B.R. Antoun, X. Nie, W. Chen, 50(4), 553–560.

Hole-Drilling Residual Stress Measurements at 75: Origins, Advances, Opportunities, G.S. Schajer, 50(2), 245–253.

How do Sperm get to the Egg? Bioengineering Expertise Needed!, S.S. Suarez, 50(9), doi:10.1007/s11340-009-9312-z.

Hydrodynamic Interactions at Low Reynolds Number, G.P. Alexander, J.M. Yeomans, 50(9), doi:10.1007/s11340-010-9387-6.

Identification of Cable Forces on Cable-Stayed Bridges: A Novel Application of the MUSIC Algorithm, S. Kangas, A. Helmicki, V. Hunt, R. Sexton, J. Swanson, 50(7), 957–968.

Identification of Damping and Dynamic Young's Modulus of a Structural Adhesive Using Radial Basis Function Neural Networks and Modal Data, K. Jahani, A.S. Nobari, 50(5), 607–619.

In Plane Displacement Formulation for Finite Cracked Plates Under Mode I Using Grid Method and Finite Element Analysis, S. Hedan, V. Valle, M. Cottron, 50 (3), 401–412.

In Situ Experiments with X-ray Tomography: An Attractive Tool for Experimental Mechanics, J.-Y. Buffiere, E. Maire, J. Adrien, J.-P. Masse, E. Boller, 50(3), 289–305

Letter from the Editor, H.D. Espinosa, 50(9), doi:10.1007/s11340-010-9428-1.

Load-Deformation Behavior of Nitinol Stents, J.W. Simons, A. Dalal, D.A. Shockey, 50(6), 835–843.

Local Strain Concentrations in a Microvascular Network, A.R. Hamilton, N.R. Sottos, S.R. White, 50(2), 255–263.

Locomotory Advantages to Flapping Out of Phase, E. Kanso, P.K. Newton, 50(9), doi:10.1007/s11340-009-9287-9.

Macro- to Nano-indentation Hardness Stress–Strain Aspects of Crystal Elastic/Plastic/Cracking Behaviors, R.W. Armstrong, W.L. Elban, 50(4), 545–552.

Measurement of Mechanical Properties of Thin Film by Membrane Deflection Test, Y.-H. Huh, D.-I. Kim, D.-J. Kim, H.-M., Lee, S.-G. Hong, J.-H. Park, C.-D. Kee, 50(4), 429–435.

Measurement of Strain/Load Transfer in Parallel Seven-wire Strands with Neuron Diffraction, I.C. Noyan, A. Brügger, R. Betti, B. Clausen, 50(2), 265–272.

Measurement of Thrust and Lift Forces Associated With Drag of Compliant Flapping Wing for Micro Air Vehicles Using a New Test Stand Design, D. Mueller, H.A. Bruck, S.K. Gupta, 50(6), 725–735.

Measuring Multiple Residual-Stress Components using the Contour Method and Multiple Cuts, P. Pagliaro, M.B. Prime, H. Swenson, B. Zuccarello, 50(2), 187–194.

Mechanical Characterization of Coatings Using Microbeam Bending and Digital Image Correlation Techniques, C. Eberl, D.S. Gianola, K.J. Hemker, 50(1), 85–97.

Microstructure Effect on the Lcr Elastic Wave for Welding Residual Stress Measurement, H. Qozam, S. Chaki, G. Bourse, C. Robin, H. Walaszek, P. Bouteille, 50(2), 179–185.

Mini-Tensile Experiments of Clock-Rolled Zirconium Plate, G.C. Kaschner, M.L. Lovato, M.G. Stout, G. Proust, C. Liu, I.J. Beyerlein, I. Usov, Y. Wang, C.N. Tomé, 50(1), 65–70.

Mode I Fracture at Spot Welds in Dual-Phase Steel: An Application of Reverse Digital Image Correlation, H. Tao, P.D. Zavattieri, L.G. Hector, Jr., W. Tong, 50(8), 1199–1212.

Models and Control of Fish-Like Locomotion, J. Melli, C.W. Rowley, 50(9), doi:10.1007/s11340-010-9349-z.

Nanomechanical Testing of Gum Metal, E.A. Withey, J. Ye, A.M. Minor, S. Kuramoto, D.C. Chrzan, J.W. Morris Jr., 50(1), 37–45.

Nano-Pattern Recognition and Correlation Technique for Sub-Nanometer In-Plane Displacement Measurement, H. Bi, C. Jang, B. Han, 50(8), 1169–1181.

Novel Method for Analyzing Crack Growth in Polymeric Microtensile Specimens by *In Situ* Atomic Force Microscopy, U. Lang, T. Süss, N. Wojtas, J. Dual, 50(4), 463–472.

Novel Microtensile Method for Monotonic and Cyclic Testing of Freestanding Copper Thin Films, M.-T. Lin, C.-J. Tong, K.-S. Shiu, 50(1), 55–64.

Observation of Piezoelectrically Induced Lamb Wave Propagation in Thin Plates by Use of Speckle Interferometry, R. Lammering, 50(3), 377–387.

On the Plastic Wave Propagation Along the Specimen Length in SHPB Test, Z.G. Wang, L.W. Meyer, 50(7), 1061–1074.

On the Use of NURBS Functions for Displacement Derivatives Measurement by Digital Image Correlation, J. Réthoré, T. Elguedj, P. Simon, M. Coret, 50(7), 1099–1116.

On-Chip Mechanical Characterization Using an Electro-thermo-mechanical Actuator, A. Corigliano, L. Domenella, G. Langfelder, 50(6), 695–707.

Parameter Identification of Damage Models Using Genetic Algorithms, P.A. Muñoz-Rojas, E.L. Cardoso, M. Vaz Jr., 50(5), 627–634.

Perforation of 5083-H116 Aluminum Armor Plates with Ogive-Nose Rods and 7.62 mm APM2 Bullets, T. Børvik, M.J. Forrestal, T.L. Warren, 50(7), 969–978.

Real-time Detection and Analysis of Damage in High-performance Concrete under Cyclic Bending, L.-P. Guo, W. Sun, A. Carpinteri, B. Chen, X.-Y. He, 50(3), 413–428.

Recent Applications of Moiré Interferometry, P.G. Ifju, B. Han, 50(8), 1129–1147.

Relaxation Methods for Measuring Residual Stresses: Techniques and Opportunities, G.S. Schajer, 50(8), 1117–1127.

Residual Stress Determination by Hole Drilling Combined with Optical Methods, D.V. Nelson, 50(2), 145–158.

Residual Stress Determination Using Cross-Slitting and Dual-Axis ESPI, G.S. Schajer, Y. An, 50(2), 169–177.

Residual Stress State Characterization of Machined Components by X-ray Diffraction and Multiparameter Micromagnetic Methods, J. Epp, T. Hirsch, 50(2), 195–204.

Resonant-Based Identification of the Poisson's Ratio of Orthotropic Materials, T. Lauwagie, K. Lambrinou, H. Sol, W. Heylen, 50(4), 437–447.

Rock Dynamic Fracture Toughness Tested with Holed-Cracked Flattened Brazilian Discs Diametrically Impacted by SHPB and its Size Effect, Q.Z. Wang, S. Zhang, H.P. Xie, 50(7), 877–885.

ERRATUM: Rock Dynamic Fracture Toughness Tested with Holed-Cracked Flattened Brazilian Discs Diametrically Impacted by SHPB and its Size Effect, Q.Z. Wang, S. Zhang, H.P. Xıe, 50(7), 887.

Sampling Moiré Method for Accurate Small Deformation Distribution Measurement, S. Ri, M. Fujigaki, Y. Morimoto, 50(4), 501–508.

Shift in Optimal Joint Angle of the Ankle Dorsiflexors Following Eccentric Exercise, H.-D. Lee, S.-J. Kim, D.-Y. Lee, T. Kurihara, Y.-S. Lee, Y. Kawakami, 50(5), 661–666.

Shrinkage Measurement in Concrete Materials using Cure Reference Method, T.C. Chen, W.Q. Yin, P.G. Ifju, 50(7), 999–1012.

Strain Mapping of Al–Mg Alloy with Multi-scale Grain Structure using Digital Image Correlation Method, B. Ahn, S.R. Nutt, 50(1), 117–123.

Strain Separation on a Nonplanar Object Using a Luminescent Photoelastic Coating, D. Takahashi, J.P. Hubner, 50(3), 365–375.

Structural Analysis of a Dragonfly Wing, S.R. Jongerius, D. Lentink, 50(9), doi:10.1007/s11340-010-9411-x.

TECHNICAL NOTE: Comments on the Effect of Radial Inertia in the Kolsky Bar Test for an Incompressible Material, T.L. Warren, M.J. Forrestal, 50(8), 1253–1255.

TECHNICAL NOTE: Effect of the Interfacial Stress Distribution on the Material Interfacial Shear Strength Measurement, A. Krishnan, L.R. Xu, 50(2), 283–288.

TECHNICAL NOTE: Perforation of 7075-T651 Aluminum Armor Plates with 7.62 mm APM2 Bullets, M.J. Forrestal, T. Børvik, T.L. Warren, 50(8), 1245–1251.

Temperature Dependent Viscoelastic Properties of Polymers Investigated by Small-Scale Dynamic Mechanical Analysis, Y.C. Lu, D.M. Shinozaki, 50(1), 71–77.

Tensile and Tensile-Mode Fatigue Testing of Microscale Specimens in Constant Humidity Environment, T. Tsuchiya, Y. Yamaji, K. Sugano, O. Tabata, 50(4), 509–516.

Testing of Prestressed Concrete Shell Under Long-Term Load and Unload, J. Radnić, D. Matešan, 50(5), 575–588.

The Dilute Rheology of Swimming Suspensions: A Simple Kinetic Model, D. Saintillan, 50(9), doi:10.1007/s11340-009-9267-0.

The Effect of Limb Kinematics on the Speed of a Legged Robot on Granular Media, C. Li, P.B. Umbanhowar, H. Komsuoglu, D.I. Goldman, 50(9), doi:10.1007/s11340-010-9347-1.

The Effects of Fluid Viscosity on the Kinematics and Material Properties of *C. elegans* Swimming at Low Reynolds Number, J. Sznitman, X. Shen, P.K. Purohit, P.E. Arratia, 50(9), doi:10.1007/s11340-010-9339-1.

The Evolution of the Field of Biomechanics Through the Lens of Experimental Mechanics, S. Xu, K.J. Grande-Allen, 50(6), 667–682.

The Mechanical Response of Shape Memory Alloys Under a Rapid Heating Pulse, S. Vollach, D. Shilo, 50(6), 803–811.

Thermoelastic Stress and Damage Analysis Using Transient Loading, R.K. Fruehmann, J.M. Dulieu-Barton, S. Quinn, 50(7), 1075–1086.

Thermomechanical Fatigue of the TiAl Intermetallic Alloy TNB-V2, T.K. Heckel, H.-J. Christ, 50(6), 717–724.

Using Semi Circular Bending Test to Evaluate Low Temperature Fracture Resistance for Asphalt Concrete, X.-J. Li, M.O. Marasteanu, 50(7), 867–876.

Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry, G.G. Romero, E.E. Alanis, C.C. Martinez, L.G. Nallim, M.W. Toledo, L. Álvarez, 50(7), 1013–1021.

ERRATUM: Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry, G.G. Romero, E.E. Alanis, C.C. Martinez, L.G. Nallim, M.W. Toledo, L. Álvarez, 50(7), 1023.

Wrinkle-Based Measurement of Elastic Modulus of Nano-Scale Thin Pt Film Deposited on Polymeric Substrate: Verification and Uncertainty Analysis, H.-J. Choi, J.-H. Kim, H.-J. Lee, S.-A. Song, H.-J. Lee, J.-H. Han, M.-W. Moon, 50(5), 635–641.

AUTHOR INDEX

Adrien, J.—*In Situ* Experiments with X-ray Tomography: An Attractive Tool for Experimental Mechanics, 50(3), 289–305.

Ahn B.—Strain Mapping of Al–Mg Alloy with Multi-scale Grain Structure using Digital Image Correlation Method 50(1), 117–123.

Alanis E.E.—Erratum: Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1023.

Alanis E.E.—Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1013–1021.

Alexander G.P.—Hydrodynamic Interactions at Low Reynolds Number 50(9), doi:10.1007/s11340-010-9387-6.

Álvarez L.—Erratum: Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1023.

Álvarez L.—Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1013–1021.

Alvin M.A.—A Load-Based Multiple-Partial Unloading Micro-Indentation Technique for Mechanical Property Evaluation 50(6), 737–743.

An Y.—Residual Stress Determination Using Cross-Slitting and Dual-Axis ESPI 50(2), 169–177.

Anghileri M.—A Braking System for Tests with a Prescribed Deceleration Pulse 50(7), 915–930.

Antoun B.R. —High-rate Characterization of 304L Stainless Steel at Elevated Temperatures for Recrystallization Investigation 50(4), 553–560.

Armstrong R.W.—Macro- to Nano-indentation Hardness Stress–Strain Aspects of Crystal Elastic/Plastic/Cracking Behaviors 50(4), 545–552.

Arratia P.E.—The Effects of Fluid Viscosity on the Kinematics and Material Properties of *C. elegans* Swimming at Low Reynolds Number 50(9), doi:10.1007/s11340-010-9339-1.

Asadi A.—Design of Modified Tabs for Testing of Symmetric Composite Thin Walled Tubes Under Pure Torsional and Tensile Loadings 50(3), 307–320.

Azid I.A.—Deflection Measurement and Determination of Young's Modulus of Micro-cantilever Using Phase-shift Shadow Moiré Method 50(7), 1051–1060.

Bae K.—Aerodynamic Performance of a Gliding Swallowtail Butterfly Wing Model 50(9), doi:10.1007/s11340-009-9330-x.

Baglivo L.—A New Perspective in Adhesion Science and Technology: Testing Dynamic Failure of Adhesive Junctions for Space Applications 50(8), 1213–1223.

Balandraud X.—Experimental Evidence of Thermal Effects in Multiphase Ceramic Specimens Subjected to Cyclic Loading 50(7), 979–992.

Barthelat F.—A Novel "Subset Splitting" Procedure for Digital Image Correlation on Discontinuous Displacement Fields 50(3), 353–364.

Béakou A.—Experimental Analysis of Prepreg Tack 50(5), 599–606.

Benedetti M.—A New Perspective in Adhesion Science and Technology: Testing Dynamic Failure of Adhesive Junctions for Space Applications 50(8), 1213–1223.

Berg H.C.—Following the Behavior of the Flagellar Rotary Motor Near Zero Load 50(9), doi:10.1007/s11340-009-9290-1.

Betti R.—Measurement of Strain/Load Transfer in Parallel Seven-wire Strands with Neuron Diffraction 50(2), 265–272.

Beyerlein I.J.—Detwinning of Pure Zirconium: *In-Situ* Neutron Diffraction Experiments 50(1), 125–133.

Beyerlein I.J.—Mini-Tensile Experiments of Clock-Rolled Zirconium Plate 50(1), 65–70.

Bi H.—Nano-Pattern Recognition and Correlation Technique for Sub-Nanometer In-Plane Displacement Measurement 50(8), 1169–1181.

Blakeborough A.—Grandstand Simulator for Dynamic Human-Structure Interaction Experiments 50(6), 825–834.

Boers S.H.A.—Contactless and Frictionless Pure Bending 50(6), 683–693.

Boller E.—*In Situ* Experiments with X-ray Tomography: An Attractive Tool for Experimental Mechanics 50(3), 289–305.

Bolmaro R.E.—Determination of Residual Stresses in High Speed Milled Aluminum Alloys Using a Method of Indent Pairs 50(2), 205–215.

Bortoluzzi D.—A New Perspective in Adhesion Science and Technology: Testing Dynamic Failure of Adhesive Junctions for Space Applications 50(8), 1213–1223.

Børvik T.—Perforation of 5083-H116 Aluminum Armor Plates with Ogive-Nose Rods and 7.62 mm APM2 Bullets 50(7), 969–978.

Børvik T.—TECHNICAL NOTE: Perforation of 7075-T651 Aluminum Armor Plates with 7.62 mm APM2 Bullets 50(8), 1245–1251.

Bourse G.—Microstructure Effect on the Lcr Elastic Wave for Welding Residual Stress Measurement 50(2), 179–185.

Bouteille P.—Microstructure Effect on the Lcr Elastic Wave for Welding Residual Stress Measurement 50(2), 179–185.

Boyce B.L.—A Review of Fatigue Behavior in Nanocrystalline Metals 50(1), 5–23.

Boyce B.L.—A Sequential Tensile Method for Rapid Characterization of Extreme-value Behavior in Microfabricated Materials 50(7), 993–997.

Boyce B.L.—GUEST EDITORIAL: Emerging Methods in Mechanical Behavior 50(1), 3.

Briggs T.M.—Edge Finishing Effects on the Impact Behavior of Chopped GFRP Composites 50(3), 321–331.

Brown D.W.—Detwinning of Pure Zirconium: *In-Situ* Neutron Diffraction Experiments 50(1), 125–133.

Bruck H.A.—Measurement of Thrust and Lift Forces Associated With Drag of Compliant Flapping Wing for Micro Air Vehicles Using a New Test Stand Design 50(6), 725–735.

Brügger A.—Measurement of Strain/Load Transfer in Parallel Seven-wire Strands with Neuron Diffraction 50(2), 265–272.

Buffiere J.-Y.—*In Situ* Experiments with X-ray Tomography: An Attractive Tool for Experimental Mechanics 50(3), 289–305.

Burgess A.—Elastic Deformation of Materials under Distributed Shear Loading 50(5), 651–659.

Cardone F.—Energy Emissions from Failure Phenomena: Mechanical, Electromagnetic, Nuclear 50(8), 1235–1243

Cardoso E.L.—Parameter Identification of Damage Models Using Genetic Algorithms 50(5), 627–634.

Carpinteri A.—Energy Emissions from Failure Phenomena: Mechanical, Electromagnetic, Nuclear 50(8), 1235–1243.

Carpinteri A.—Real-time Detection and Analysis of Damage in High-performance Concrete under Cyclic Bending 50(3), 413–428.

Castelletti L.-M.L.—A Braking System for Tests with a Prescribed Deceleration Pulse 50(7), 915–930.

Cerrone A.—Effect of Compressive Straining on Nanoindentation Elastic Modulus of Trabecular Bone 50(6), 773–781.

Cha K.U.—A Study on Hydraulic Autofrettage of Thick-Walled Cylinders Incorporating Bauschinger Effect 50(5), 621–626.

Chaki S.—Microstructure Effect on the Lcr Elastic Wave for Welding Residual Stress Measurement 50(2), 179–185.

Chalivendra V.B.—Experimental Fracture Mechanics of Functionally Graded Materials: An Overview of Optical Investigations 50(7), 845–865.

Chao Y.J.—Dynamic Separation of Resistance Spot Welded Joints: Part I—Experiments 50(7), 889–900.

Chao Y.J.—Dynamic Separation of Resistance Spot Welded Joints: Part II—Analysis of Test Results and a Model 50(7), 901–913.

Chasiotis I.—A Hybrid Experimental/Numerical Investigation of the Response of Multilayered MEMS Devices to Dynamic Loading 50(4), 527–544.

Chasiotis I.—Experimental Investigation of Strain Rate Dependence in Nanocrystalline Pt Films 50(1), 25–35.

Chen B.—Real-time Detection and Analysis of Damage in High-performance Concrete under Cyclic Bending 50(3), 413–428.

Chen J.—Characterization of Irradiation Damage of Ferritic ODS Alloys with Advanced Micro-Sample Methods 50(1), 79–84.

Chen R.—A Semi-Circular Bend Technique for Determining Dynamic Fracture Toughness 50(6), 783–791.

Chen T.C.—Shrinkage Measurement in Concrete Materials using Cure Reference Method 50(7), 999–1012.

Chen W.—High-rate Characterization of 304L Stainless Steel at Elevated Temperatures for Recrystallization Investigation 50(4), 553–560.

Chen X.—Effects of Body Cross-sectional Shape on Flying Snake Aerodynamics 50(9), doi:10.1007/s11340-010-9351-5.

Choi H.—Aerodynamic Performance of a Gliding Swallowtail Butterfly Wing Model 50(9), doi:10.1007/s11340-009-9330-x.

Choi H.-J.—Wrinkle-Based Measurement of Elastic Modulus of Nano-Scale Thin Pt Film Deposited on Polymeric Substrate: Verification and Uncertainty Analysis 50(5), 635–641.

Christ H.-J.—Fatigue of the Near-Alpha Ti-Alloy Ti6242 50(4), 483–489.

Christ H.-J.—Thermomechanical Fatigue of the TiAl Intermetallic Alloy TNB-V2 50(6), 717–724.

Chrzan D.C.—Nanomechanical Testing of Gum Metal 50(1), 37–45.

Çilingir H.D.—"Equivalent" Electromechanical Coefficient for IPMC Actuator Design Based on Equivalent Bimorph Beam Theory 50(8), 1157–1168.

Clausen B.—Detwinning of Pure Zirconium: *In-Situ* Neutron Diffraction Experiments 50(1), 125–133.

Clausen B.—Measurement of Strain/Load Transfer in Parallel Seven-wire Strands with Neuron Diffraction 50(2), 265–272.

Comer A.—Grandstand Simulator for Dynamic Human-Structure Interaction Experiments 50(6), 825–834.

Coret M.—On the Use of NURBS Functions for Displacement Derivatives Measurement by Digital Image Correlation 50(7), 1099–1116.

Corigliano A.—On-Chip Mechanical Characterization Using an Electro-thermo-mechanical Actuator 50(6), 695–707.

Cottron M.—In Plane Displacement Formulation for Finite Cracked Plates Under Mode I Using Grid Method and Finite Element Analysis 50(3), 401–412.

Crooks R.—EBSD Study of Delamination Fracture in Al-Li Alloy 2090 50(1), 135–143.

da Silva L.F.M.—GUEST EDITORIAL: Experimental Engineering and Applications 50(5), 561.

Dai F.—A Semi-Circular Bend Technique for Determining Dynamic Fracture Toughness 50(6), 783–791.

Dalal A.—Load-Deformation Behavior of Nitinol Stents 50(6), 835–843.

de Bilbao E.—Experimental Study of Bending Behaviour of Reinforcements 50(3), 333–351.

Diaz F.A.—A Novel Experimental Approach for Calculating Stress Intensity Factors from Isochromatic Data 50(2), 273–281.

Díaz F.V.—Determination of Residual Stresses in High Speed Milled Aluminum Alloys Using a Method of Indent Pairs 50(2), 205–215.

Doaré O.—A Unified Introduction to Fluid Mechanics of Flying and Swimming at High Reynolds Number 50(9), doi:10.1007/s11340-009-9289-7.

Domack M.—EBSD Study of Delamination Fracture in Al-Li Alloy 2090 50(1), 135–143.

Domenella L.—On-Chip Mechanical Characterization Using an Electro-thermo-mechanical Actuator 50(6), 695–707.

Dooling P.J.—Elastic Deformation of Materials under Distributed Shear Loading 50(5), 651–659.

Dorgan K.M.—Environmental Constraints on the Mechanics of Crawling and Burrowing Using Hydrostatic Skeletons 50(9), doi:10.1007/s11340-010-9399-2.

Dual J.—Novel Method for Analyzing Crack Growth in Polymeric Microtensile Specimens by *In Situ* Atomic Force Microscopy 50(4), 463–472.

Dubey D.K.—Effect of Compressive Straining on Nano-indentation Elastic Modulus of Trabecular Bone 50(6), 773–781.

Dubey M.—A Hybrid Experimental/Numerical Investigation of the Response of Multilayered MEMS Devices to Dynamic Loading 50(4), 527–544.

Dubey M.—Experimental Investigation of Strain Rate Dependence in Nanocrystalline Pt Films 50(1), 25–35.

Dubois O.—Experimental Analysis of Prepreg Tack 50(5), 599–606.

Duchemin L.—A Unified Introduction to Fluid Mechanics of Flying and Swimming at High Reynolds Number 50(9), doi:10.1007/s11340-009-9289-7.

Dulieu-Barton J.M.—Assessment of Non-Adiabatic Behaviour in Thermoelastic Stress Analysis of Small Scale Components 50(4), 449–461.

Dulieu-Barton J.M.—Thermoelastic Stress and Damage Analysis Using Transient Loading 50(7), 1075–1086.

Eberl C.—Mechanical Characterization of Coatings Using Microbeam Bending and Digital Image Correlation Techniques 50(1), 85–97.

El Abdi R.—Damage of Optical Fibers Under Wet Environments 50(8), 1225–1234.

Elban W.L.—Macro- to Nano-indentation Hardness Stress–Strain Aspects of Crystal Elastic/Plastic/Cracking Behaviors 50(4), 545–552.

Eldredge J.D.—A Reconciliation of Viscous and Inviscid Approaches to Computing Locomotion of Deforming Bodies 50(9), doi:10.1007/s11340-009-9275-0.

Elguedj T.—On the Use of NURBS Functions for Displacement Derivatives Measurement by Digital Image Correlation 50(7), 1099–1116.

Elmustafa A.A.—EBSD Study of Delamination Fracture in Al-Li Alloy 2090 50(1), 135–143.

Eloy C.—A Unified Introduction to Fluid Mechanics of Flying and Swimming at High Reynolds Number 50(9), doi:10.1007/s11340-009-9289-7.

Epp J.—Residual Stress State Characterization of Machined Components by X-ray Diffraction and Multiparameter Micromagnetic Methods 50(2), 195–204.

Erzar B.—An Experimental Method to Determine the Tensile Strength of Concrete at High Rates of Strain 50(7), 941–955.

Espinosa H.D.—EDITORIAL: Celebrating 50 years of *Experimental Mechanics* 50(1), 1–2.

Espinosa H.D.—Letter from the Editor 50(9), doi:10.1007/s11340-010-9428-1.

Evans K.E. Elastic Deformation of Materials under Distributed Shear Loading 50(5), 651–659.

Fekete J.R.—Digital Image Correlation Study of Plastic Deformation and Fracture in Fully Martensitic Steels 50(1), 99–110.

Feng C.—A Load-Based Multiple-Partial Unloading Micro-Indentation Technique for Mechanical Property Evaluation 50(6), 737–743.

Feng R.—Experimentally Evaluating Equilibrium Stress in Uniaxial Tests 50(6), 709–716.

Forquin P.—An Experimental Method to Determine the Tensile Strength of Concrete at High Rates of Strain 50(7), 941–955.

Forrestal M.J.—Perforation of 5083-H116 Aluminum Armor Plates with Ogive-Nose Rods and 7.62 mm APM2 Bullets 50(7), 969–978.

Forrestal M.J.—TECHNICAL NOTE: Comments on the Effect of Radial Inertia in the Kolsky Bar Test for an Incompressible Material 50(8), 1253–1255.

Forrestal M.J.—TECHNICAL NOTE: Perforation of 7075-T651 Aluminum Armor Plates with 7.62 mm APM2 Bullets 50(8), 1245–1251.

Fruehmann R.K.—Thermoelastic Stress and Damage Analysis Using Transient Loading 50(7), 1075–1086.

Fujigaki M.—Sampling Moiré Method for Accurate Small Deformation Distribution Measurement 50(4), 501–508.

Fujimoto T.—An Intelligent Hybrid Measurement Method for Steady Temperature Field 50(8), 1149–1155.

Gan M.—Effect of Compressive Straining on Nanoindentation Elastic Modulus of Trabecular Bone 50(6), 773–781.

Ganesan Y.—A Multi-step Method for *In Situ* Mechanical Characterization of 1-D Nanostructures Using a Novel Micromechanical Device 50(1), 47–54.

Ganguli R.—An Experimental and Numerical Study of *Calliphora* Wing Structure 50(8), 1183–1197.

Gasser A.—Experimental Study of Bending Behaviour of Reinforcements 50(3), 333–351.

Geers M.G.D. Contactless and Frictionless Pure Bending 50(6), 683–693.

Ghisleni R.—Characterization of Irradiation Damage of Ferritic ODS Alloys with Advanced Micro-Sample Methods 50(1), 79–84.

Gianola D.S.—Mechanical Characterization of Coatings Using Microbeam Bending and Digital Image Correlation Techniques 50(1), 85–97.

Giavotto V.—A Braking System for Tests with a Prescribed Deceleration Pulse 50(7), 915–930.

Girini E.F.—Determination of Residual Stresses in High Speed Milled Aluminum Alloys Using a Method of Indent Pairs 50(2), 205–215.

Goel A.—Experimentally Evaluating Equilibrium Stress in Uniaxial Tests 50(6), 709–716.

Goldman D.I.—The Effect of Limb Kinematics on the Speed of a Legged Robot on Granular Media 50(9), doi:10.1007/s11340-010-9347-1.

Gorb S.—An Experimental and Numerical Study of *Calliphora* Wing Structure 50(8), 1183–1197.

Gradin P.—A Simplified Treatise of the Scott Bond Testing Method 50(6), 745–751.

Grande-Allen K.J.—The Evolution of the Field of Biomechanics Through the Lens of Experimental Mechanics 50(6), 667–682.

Grédiac M.—Experimental Evidence of Thermal Effects in Multiphase Ceramic Specimens Subjected to Cyclic Loading 50(7), 979–992.

Guerrero Tovar A.—Fatigue of the Near-Alpha Ti-Alloy Ti6242 50(4) 483–489.

Guidobono A.P.M.—Determination of Residual Stresses in High Speed Milled Aluminum Alloys Using a Method of Indent Pairs 50(2), 205–215.

Guo L.-P.—Real-time Detection and Analysis of Damage in High-performance Concrete under Cyclic Bending 50(3), 413–428.

Gupta S.K.—Measurement of Thrust and Lift Forces Associated With Drag of Compliant Flapping Wing for Micro Air Vehicles Using a New Test Stand Design 50 (6), 725–735.

Guzmán R.—Determination of the Constitutive Relation Parameters of a Metallic Material by Measurement of Temperature Increment in Compressive Dynamic Tests 50(3), 389–397.

Guzmán R.—ERRATUM: Determination of the Constitutive Relation Parameters of a Metallic Material by Measurement of Temperature Increment in Compressive Dynamic Tests 50(3), 399.

Hamilton A.R.—Local Strain Concentrations in a Microvascular Network 50(2), 255–263.

Han B.—Nano-Pattern Recognition and Correlation Technique for Sub-Nanometer In-Plane Displacement Measurement 50(8), 1169–1181.

Han B.—Recent Applications of Moiré Interferometry 50 (8), 1129–1147.

Han J.-H.—Wrinkle-Based Measurement of Elastic Modulus of Nano-Scale Thin Pt Film Deposited on Polymeric Substrate: Verification and Uncertainty Analysis 50(5), 635–641.

Han S.W.—Electromechanical Characterization of Au Thin Films using Micro-tensile Testing 50(5), 643–649.

He X.-Y.—Real-time Detection and Analysis of Damage in High-performance Concrete under Cyclic Bending 50(3), 413–428.

Heckel T.K—Fatigue of the Near-Alpha Ti-Alloy Ti6242 50(4) 483–489.

Heckel T.K.—Thermomechanical Fatigue of the TiAl Intermetallic Alloy TNB-V2 50(6), 717–724.

Hector Jr. L.G.—Digital Image Correlation Study of Plastic Deformation and Fracture in Fully Martensitic Steels 50(1), 99–110.

Hector, Jr. L.G.—Mode I Fracture at Spot Welds in Dual-Phase Steel: An Application of Reverse Digital Image Correlation 50(8), 1199–1212.

Hedan S.—In Plane Displacement Formulation for Finite Cracked Plates Under Mode I Using Grid Method and Finite Element Analysis 50(3), 401–412.

Helmicki A.—Identification of Cable Forces on Cable-Stayed Bridges: A Novel Application of the MUSIC Algorithm 50(7), 957–968.

Hemker K.J.—Mechanical Characterization of Coatings Using Microbeam Bending and Digital Image Correlation Techniques 50(1), 85–97.
Heylen W.—Resonant-Based Identification of the Poisson's Ratio of Orthotropic Materials 50(4), 437–447.
Hirsch T.—Residual Stress State Characterization of Machined Components by X-ray Diffraction and Multiparameter Micromagnetic Methods 50(2), 195–204.
Hivet G.—Experimental Study of Bending Behaviour of Reinforcements 50(3), 333–351.
Hoffelner W.—Characterization of Irradiation Damage of Ferritic ODS Alloys with Advanced Micro-Sample Methods 50(1), 79–84.
Hong S.-G.—Measurement of Mechanical Properties of Thin Film by Membrane Deflection Test 50(4), 429–435.
Hong S.K.—A Study on Hydraulic Autofrettage of Thick-Walled Cylinders Incorporating Bauschinger Effect 50(5), 621–626.
Hosoi A.E.—GUEST EDITORIAL: Mechanical Aspects of Biological Locomotion 50(9), doi:10.1007/s11340-010-9429-0.
Hou Z.—Displacement and Strain Measurement by Circular and Radial Gratings Moiré Method 50(2), 239–244.
Hubner J.P.—Strain Separation on a Nonplanar Object Using a Luminescent Photoelastic Coating 50(3), 365–375.
Huh Y.-H.—Measurement of Mechanical Properties of Thin Film by Membrane Deflection Test 50(4), 429–435.
Hunt V.—Identification of Cable Forces on Cable-Stayed Bridges: A Novel Application of the MUSIC Algorithm 50(7), 957–968.
Hwang K.T.—Fracture Evaluation in a Ceramic Spherical Dome Port Under Shock Impact 50(5), 589–597.
Hyun S.M.—Electromechanical Characterization of Au Thin Films using Micro-tensile Testing 50(5), 643–649.
Ifju P.G.—Recent Applications of Moiré Interferometry 50(8), 1129–1147.
Ifju P.G.—Shrinkage Measurement in Concrete Materials using Cure Reference Method 50(7), 999–1012.
Isaksson P.—A Simplified Treatise of the Scott Bond Testing Method 50(6), 745–751.
Jahani K.—Identification of Damping and Dynamic Young's Modulus of a Structural Adhesive Using Radial Basis Function Neural Networks and Modal Data 50(5), 607–619.
Jang C.—Nano-Pattern Recognition and Correlation Technique for Sub-Nanometer In-Plane Displacement Measurement 50(8), 1169–1181.
Jeon W.-P.—Aerodynamic Performance of a Gliding Swallowtail Butterfly Wing Model 50(9), doi:10.1007/s11340-009-9330-x.
Johnson T.P.M.—Comparison of Low Impedance Split-Hopkinson Pressure Bar Techniques in the Characterization of Polyurea 50(7), 931–940.
Jones D.C.—High Temperature Nanoindentation of PMR-15 Polyimide 50(4), 491–499.
Jongerius S.R.—Structural Analysis of a Dragonfly Wing 50(9), doi:10.1007/s11340-010-9411-x.
Jonnalagadda K.N.—Experimental Investigation of Strain Rate Dependence in Nanocrystalline Pt Films 50(1), 25–35.
Ju S.H.—Calculation of Notch H-Integrals Using Image Correlation Experiments 50(4), 517–525.
Kang B.S.—A Load-Based Multiple-Partial Unloading Micro-Indentation Technique for Mechanical Property Evaluation 50(6), 737–743.
Kang H.-T.—Full Field Strain Measurement of Resistant Spot Welds Using 3D Image Correlation Systems 50(1), 111–116.
Kang Y.—Displacement and Strain Measurement by Circular and Radial Gratings Moiré Method 50(2), 239–244.
Kangas S.—Identification of Cable Forces on Cable-Stayed Bridges: A Novel Application of the MUSIC Algorithm 50(7), 957–968.
Kanso E.—Locomotory Advantages to Flapping Out of Phase 50(9), doi:10.1007/s11340-009-9287-9.
Kaschner G.C.—Detwinning of Pure Zirconium: In-Situ Neutron Diffraction Experiments 50(1), 125–133.
Kaschner G.C.—Mini-Tensile Experiments of Clock-Rolled Zirconium Plate 50(1), 65–70.
Kawakami Y.—Shift in Optimal Joint Angle of the Ankle Dorsiflexors Following Eccentric Exercise 50(5), 661–666.
Kee C.-D.—Measurement of Mechanical Properties of Thin Film by Membrane Deflection Test 50(4), 429–435.
Kim D.-I.—Measurement of Mechanical Properties of Thin Film by Membrane Deflection Test 50(4), 429–435.
Kim D.-J.—Measurement of Mechanical Properties of Thin Film by Membrane Deflection Test 50(4), 429–435.
Kim J.H.—Electromechanical Characterization of Au Thin Films using Micro-tensile Testing 50(5), 643–649.
Kim J.H.—A Study on Hydraulic Autofrettage of Thick-Walled Cylinders Incorporating Bauschinger Effect 50(5), 621–626.
Kim J.H.—Fracture Evaluation in a Ceramic Spherical Dome Port Under Shock Impact 50(5), 589–597.
Kim J.-H.—Wrinkle-Based Measurement of Elastic Modulus of Nano-Scale Thin Pt Film Deposited on Polymeric Substrate: Verification and Uncertainty Analysis 50(5), 635–641.
Kim S.-J.—Shift in Optimal Joint Angle of the Ankle Dorsiflexors Following Eccentric Exercise 50(5), 661–666.
Kimberley J.—A Hybrid Experimental/Numerical Investigation of the Response of Multilayered MEMS Devices to Dynamic Loading 50(4), 527–544.

Komsuoglu H.—The Effect of Limb Kinematics on the Speed of a Legged Robot on Granular Media 50(9), doi:10.1007/s11340-010-9347-1.

Kouznetsova V.G.—Contactless and Frictionless Pure Bending 50(6), 683–693.

Krehbiel J.D.—Digital Image Correlation for Improved Detection of Basal Cell Carcinoma 50(6), 813–824.

Krishnan A.—TECHNICAL NOTE: Effect of the Interfacial Stress Distribution on the Material Interfacial Shear Strength Measurement 50(2), 283–288.

Kuramoto S.—Nanomechanical Testing of Gum Metal 50(1), 37–45.

Kurihara T.—Shift in Optimal Joint Angle of the Ankle Dorsiflexors Following Eccentric Exercise 50(5), 661–666.

Kwon S.G.—Fracture Evaluation in a Ceramic Spherical Dome Port Under Shock Impact 50(5), 589–597.

LaBarbera M.—Effects of Body Cross-sectional Shape on Flying Snake Aerodynamics 50(9), doi:10.1007/s11340-010-9351-5.

Lacidogna G.—Energy Emissions from Failure Phenomena: Mechanical, Electromagnetic, Nuclear 50(8), 1235–1243.

Lambrinou K.—Resonant-Based Identification of the Poisson's Ratio of Orthotropic Materials 50(4), 437–447.

Lambros J.—A Hybrid Experimental/Numerical Investigation of the Response of Multilayered MEMS Devices to Dynamic Loading 50(4), 527–544.

Lambros J.—Digital Image Correlation for Improved Detection of Basal Cell Carcinoma 50(6), 813–824.

Lambros J.—Experimental Investigation of Strain Rate Dependence in Nanocrystalline Pt Films 50(1), 25–35.

Lammering R.—Observation of Piezoelectrically Induced Lamb Wave Propagation in Thin Plates by Use of Speckle Interferometry 50(3), 377–387.

Lang U.—Novel Method for Analyzing Crack Growth in Polymeric Microtensile Specimens by *In Situ* Atomic Force Microscopy 50(4), 463–472.

Langfelder G.—On-Chip Mechanical Characterization Using an Electro-thermo-mechanical Actuator 50(6), 695–707.

Lauga E.—GUEST EDITORIAL: Mechanical Aspects of Biological Locomotion 50(9), doi:10.1007/s11340-010-9429-0.

Lauwagie T.—Resonant-Based Identification of the Poisson's Ratio of Orthotropic Materials 50(4), 437–447.

Le Cam J.-B.—Experimental Analysis of Prepreg Tack 50(5), 599–606.

Le Maoût N.—Classical and Roll-hemming Processes of Prestrained Metallic Sheets 50(7), 1087–1097.

Lee B.—Aerodynamic Performance of a Gliding Swallowtail Butterfly Wing Model 50(9), doi:10.1007/s11340-009-9330-x.

Lee D.-Y.—Shift in Optimal Joint Angle of the Ankle Dorsiflexors Following Eccentric Exercise 50(5), 661–666.

Lee H.-D.—Shift in Optimal Joint Angle of the Ankle Dorsiflexors Following Eccentric Exercise 50(5), 661–666.

Lee H.J.—Electromechanical Characterization of Au Thin Films using Micro-tensile Testing 50(5), 643–649.

Lee H.-J.—Wrinkle-Based Measurement of Elastic Modulus of Nano-Scale Thin Pt Film Deposited on Polymeric Substrate: Verification and Uncertainty Analysis 50(5), 635–641.

Lee H.-J.—Wrinkle-Based Measurement of Elastic Modulus of Nano-Scale Thin Pt Film Deposited on Polymeric Substrate: Verification and Uncertainty Analysis 50(5), 635–641.

Lee H.-M.—Measurement of Mechanical Properties of Thin Film by Membrane Deflection Test 50(4), 429–435.

Lee J.H.—Fracture Evaluation in a Ceramic Spherical Dome Port Under Shock Impact 50(5), 589–597.

Lee J.-R.—Development of an Optical System for Simultaneous Ultrasonic Propagation Imaging at Multi-points 50(7), 1041–1049.

Lee S.J.—Electromechanical Characterization of Au Thin Films using Micro-tensile Testing 50(5), 643–649.

Lee Y.S.—A Study on Hydraulic Autofrettage of Thick-Walled Cylinders Incorporating Bauschinger Effect 50(5), 62.

Lee Y.S.—Fracture Evaluation in a Ceramic Spherical Dome Port Under Shock Impact 50(5), 589–597.

Lee Y.-S.—Shift in Optimal Joint Angle of the Ankle Dorsiflexors Following Eccentric Exercise 50(5), 661–666.

Lehmann F.-O.—An Experimental and Numerical Study of *Calliphora* Wing Structure 50(8), 1183–1197.

Lei Z.—Full Field Strain Measurement of Resistant Spot Welds Using 3D Image Correlation Systems 50(1), 111–116.

Lentink D.—Structural Analysis of a Dragonfly Wing 50(9), doi:10.1007/s11340-010-9411-x.

Li C.—The Effect of Limb Kinematics on the Speed of a Legged Robot on Granular Media 50(9), doi:10.1007/s11340-010-9347-1.

Li Q.—Assessment of Non-Adiabatic Behaviour in Thermo-elastic Stress Analysis of Small Scale Components 50(4), 449–461.

Li X.—Displacement and Strain Measurement by Circular and Radial Gratings Moiré Method 50(2), 239–244.

Li X.—Displacement and Strain Measurement by Circular and Radial Gratings Moiré Method 50(2), 239–244.

Li X.C.—GUEST EDITORIAL: Emerging Methods in Mechanical Behavior 50(1), 3.

Li X.-J.—Using Semi Circular Bending Test to Evaluate Low Temperature Fracture Resistance for Asphalt Concrete 50(7), 867–876.

Liechti K.M.—Bulge Testing Transparent Thin Films with Moiré Deflectometry 50(2), 217–225.

Lilliodden E.T.—GUEST EDITORIAL: Emerging Methods in Mechanical Behavior 50(1), 3.

Lim J.H.—Deflection Measurement and Determination of Young's Modulus of Micro-cantilever Using Phase-shift Shadow Moiré Method 50(7), 1051–1060.

Lin M.-T.—Novel Microtensile Method for Monotonic and Cyclic Testing of Freestanding Copper Thin Films 50(1), 55–64.

Liu C.—Mini-Tensile Experiments of Clock-Rolled Zirconium Plate 50(1), 65–70.

Liu C.—Elastic Constants Determination and Deformation Observation Using Brazilian Disk Geometry 50(7), 1025–1039.

Lou J.—A Multi-step Method for *In Situ* Mechanical Characterization of 1-D Nanostructures Using a Novel Micromechanical Device 50(1), 47–54.

Lovato M.L.—Mini-Tensile Experiments of Clock-Rolled Zirconium Plate 50(1), 65–70.

Lu Y.—A Multi-step Method for *In Situ* Mechanical Characterization of 1-D Nanostructures Using a Novel Micromechanical Device 50(1), 47–54.

Lu Y.C.—High Temperature Nanoindentation of PMR-15 Polyimide 50(4), 491–499.

Lu Y.C.—Temperature Dependent Viscoelastic Properties of Polymers Investigated by Small-Scale Dynamic Mechanical Analysis 50(1), 71–77.

MacKay J.R.—A Review of External Pressure Testing Techniques for Shells including a Novel Volume-Control Method 50(6), 753–772.

Maire E.—*In Situ* Experiments with X-ray Tomography: An Attractive Tool for Experimental Mechanics 50(3), 289–305.

Manach P.Y.—Classical and Roll-hemming Processes of Pre-strained Metallic Sheets 50(7), 1087–1097.

Manganini D.M.—A Braking System for Tests with a Prescribed Deceleration Pulse 50(7), 915–930.

Marasteanu M.O.—Using Semi Circular Bending Test to Evaluate Low Temperature Fracture Resistance for Asphalt Concrete 50(7), 867–876.

Martinez C.C.—Erratum: Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1023.

Martinez C.C.—Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1013–1021.

Masse J.-P.—*In Situ* Experiments with X-ray Tomography: An Attractive Tool for Experimental Mechanics 50(3), 289–305.

Matešan D.—Testing of Prestressed Concrete Shell Under Long-Term Load and Unload 50(5), 575–588.

McCabe R.J.—Detwinning of Pure Zirconium: In-Situ Neutron Diffraction Experiments 50(1), 125–133.

Meléndez J.—Determination of the Constitutive Relation Parameters of a Metallic Material by Measurement of Temperature Increment in Compressive Dynamic Tests 50(3), 389–397.

Meléndez J.—ERRATUM: Determination of the Constitutive Relation Parameters of a Metallic Material by Measurement of Temperature Increment in Compressive Dynamic Tests 50(3), 399.

Melli J.—Models and Control of Fish-Like Locomotion 50(9), doi:10.1007/s11340-010-9349-z.

Meyer L.W.—On the Plastic Wave Propagation Along the Specimen Length in SHPB Test 50(7), 1061–1074.

Michler J.—Characterization of Irradiation Damage of Ferritic ODS Alloys with Advanced Micro-Sample Methods 50(1), 79–84.

Miklasz K.—Effects of Body Cross-sectional Shape on Flying Snake Aerodynamics 50(9), doi:10.1007/s11340-010-9351-5.

Milanese A.—A Braking System for Tests with a Prescribed Deceleration Pulse 50(7), 915–930.

Miller K.W.—Dynamic Separation of Resistance Spot Welded Joints: Part I—Experiments 50(7), 889–900.

Miller K.W.—Dynamic Separation of Resistance Spot Welded Joints: Part II—Analysis of Test Results and a Model 50(7), 901–913.

Minor A.M.—Nanomechanical Testing of Gum Metal 50(1), 37–45.

Moon M.-W.—Wrinkle-Based Measurement of Elastic Modulus of Nano-Scale Thin Pt Film Deposited on Polymeric Substrate: Verification and Uncertainty Analysis 50(5), 635–641.

Morimoto Y.—Sampling Moiré Method for Accurate Small Deformation Distribution Measurement 50(4), 501–508

Morris Jr. J.W.—Nanomechanical Testing of Gum Metal 50(1), 37–45.

Mueller D.—Measurement of Thrust and Lift Forces Associated With Drag of Compliant Flapping Wing for Micro Air Vehicles Using a New Test Stand Design 50(6), 725–735.

Mukherjee S.—An Experimental and Numerical Study of *Calliphora* Wing Structure 50(8), 1183–1197.

Mukherjee S.—An Experimental and Numerical Study of *Calliphora* Wing Structure 50(8), 1183–1197.

Muñoz-Rojas P.A.—Parameter Identification of Damage Models Using Genetic Algorithms 50(5), 627–634.

Mutharasu D.—Deflection Measurement and Determination of Young's Modulus of Micro-cantilever Using Phase-shift Shadow Moiré Method 50(7), 1051–1060.

Nallim L.G.—ERRATUM: Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1023.

Nallim L.G.—Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1013–1021.

Negahban M.—Experimentally Evaluating Equilibrium Stress in Uniaxial Tests 50(6), 709–716.

Nelson D.V.—Residual Stress Determination by Hole Drilling Combined with Optical Methods 50(2), 145–158.

Newton P.K.—Locomotory Advantages to Flapping Out of Phase 50(9), doi:10.1007/s11340-009-9287-9.

Nie X.—High-rate Characterization of 304L Stainless Steel at Elevated Temperatures for Recrystallization Investigation 50(4), 553–560.

Nishioka T.—An Intelligent Hybrid Measurement Method for Steady Temperature Field 50(8), 1149–1155.

Nobari A.S.—Identification of Damping and Dynamic Young's Modulus of a Structural Adhesive Using Radial Basis Function Neural Networks and Modal Data 50(5), 607–619.

Noyan I.C.—Measurement of Strain/Load Transfer in Parallel Seven-wire Strands with Neuron Diffraction 50(2), 265–272.

Nutt S.R.—Strain Mapping of Al–Mg Alloy with Multi-scale Grain Structure using Digital Image Correlation Method 50(1), 117–123.

Öchsner A.—GUEST EDITORIAL: Experimental Engineering and Applications 50(5), 561.

Östlund S.—A Simplified Treatise of the Scott Bond Testing Method 50(6), 745–751

Padilla II H.A.—A Review of Fatigue Behavior in Nanocrystalline Metals 50(1), 5–23.

Pagliaro P.—Measuring Multiple Residual-Stress Components using the Contour Method and Multiple Cuts 50(2), 187–194.

Papila M.—"Equivalent" Electromechanical Coefficient for IPMC Actuator Design Based on Equivalent Bimorph Beam Theory 50(8), 1157–1168.

Park H.—Aerodynamic Performance of a Gliding Swallowtail Butterfly Wing Model 50(9), doi:10.1007/s11340-009-9330-x.

Park J.-H.—Measurement of Mechanical Properties of Thin Film by Membrane Deflection Test 50(4), 429–435.

Park J.M.—Electromechanical Characterization of Au Thin Films using Micro-tensile Testing 50(5), 643–649.

Patterson E.A.—A Novel Experimental Approach for Calculating Stress Intensity Factors from Isochromatic Data 50(2), 273–281.

Pedley T.J.—Collective Behaviour of Swimming Microorganisms 50(9), doi:10.1007/s11340-010-9406-7.

Pérez-Castellanos J.L.—Determination of the Constitutive Relation Parameters of a Metallic Material by Measurement of Temperature Increment in Compressive Dynamic Tests 50(3), 389–397.

Pérez-Castellanos J.L.—ERRATUM: Determination of the Constitutive Relation Parameters of a Metallic Material by Measurement of Temperature Increment in Compressive Dynamic Tests 50(3), 399.

Poissant J.—A Novel "Subset Splitting" Procedure for Digital Image Correlation on Discontinuous Displacement Fields 50(3), 353–364.

Polcawich R.—A Hybrid Experimental/Numerical Investigation of the Response of Multilayered MEMS Devices to Dynamic Loading 50(4), 527–544.

Polcawich R.—Experimental Investigation of Strain Rate Dependence in Nanocrystalline Pt Films 50(1), 25–35.

Pouchon M.A.—Characterization of Irradiation Damage of Ferritic ODS Alloys with Advanced Micro-Sample Methods 50(1), 79–84.

Poulain M.—Damage of Optical Fibers Under Wet Environments 50(8), 1225–1234.

Prime M.B.—Measuring Multiple Residual-Stress Components using the Contour Method and Multiple Cuts 50(2), 187–194.

Prorok B.C.—A Discontinuous Elastic Interface Transfer Model of Thin Film Nanoindentation 50(6), 793–801.

Proust G.—Mini-Tensile Experiments of Clock-Rolled Zirconium Plate 50(1), 65–70.

Proust G.—Detwinning of Pure Zirconium: In-Situ Neutron Diffraction Experiments 50(1), 125–133.

Pulskamp J.—A Hybrid Experimental/Numerical Investigation of the Response of Multilayered MEMS Devices to Dynamic Loading 50(4), 527–544.

Pulskamp J.—Experimental Investigation of Strain Rate Dependence in Nanocrystalline Pt Films 50(1), 25–35.

Purohit P.K.—The Effects of Fluid Viscosity on the Kinematics and Material Properties of *C. elegans* Swimming at Low Reynolds Number 50(9), doi:10.1007/s11340-010-9339-1.

Putthanarat S.—High Temperature Nanoindentation of PMR-15 Polyimide 50(4), 491–499.

Qiu W.—Displacement and Strain Measurement by Circular and Radial Gratings Moiré Method 50(2), 239–244.

Qozam H.—Microstructure Effect on the Lcr Elastic Wave for Welding Residual Stress Measurement 50(2), 179–185.

Quinn S.—Thermoelastic Stress and Damage Analysis Using Transient Loading 50(7), 1075–1086.

Radnić J.—Testing of Prestressed Concrete Shell Under Long-Term Load and Unload 50(5), 575–588.

Ramulu M.—Edge Finishing Effects on the Impact Behavior of Chopped GFRP Composites 50(3), 321–331.

Ratnam M.M.—Deflection Measurement and Determination of Young's Modulus of Micro-cantilever Using Phase-shift Shadow Moiré Method 50(7), 1051–1060.

Ren X.J.—Elastic Deformation of Materials under Distributed Shear Loading 50(5), 651–659.

Réthoré J.—On the Use of NURBS Functions for Displacement Derivatives Measurement by Digital Image Correlation 50(7), 1099–1116.

Reyes G.—Full Field Strain Measurement of Resistant Spot Welds Using 3D Image Correlation Systems 50(1), 111–116.

Ri S.—Sampling Moiré Method for Accurate Small Deformation Distribution Measurement 50(4), 501–508.

Robin C.—Microstructure Effect on the Lcr Elastic Wave for Welding Residual Stress Measurement 50(2), 179–185.

Romero G.G.—Erratum: Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1023.

Romero G.G.—Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1013–1021.

Rousseau C.-E.—Experimental Fracture Mechanics of Functionally Graded Materials: An Overview of Optical Investigations 50(7), 845–865.

Rowley C.W.—Models and Control of Fish-Like Locomotion 50(9), doi:10.1007/s11340-010-9349-z.

Rujinski A.D.—Damage of Optical Fibers Under Wet Environments 50(8), 1225–1234.

Saintillan D.—The Dilute Rheology of Swimming Suspensions: A Simple Kinetic Model 50(9), doi:10.1007/s11340-009-9267-0.

Samvedi V.—Effect of Compressive Straining on Nanoindentation Elastic Modulus of Trabecular Bone 50(6), 773–781.

Sarva S.S.—Comparison of Low Impedance Split-Hopkinson Pressure Bar Techniques in the Characterization of Polyurea 50(7), 931–940.

Savic V.—Digital Image Correlation Study of Plastic Deformation and Fracture in Fully Martensitic Steels 50(1), 99–110.

Schajer G.S.—Advances in Hole-Drilling Residual Stress Measurements 50(2), 159–168.

Schajer G.S.—Hole-Drilling Residual Stress Measurements at 75: Origins, Advances, Opportunities 50(2), 245–253.

Schajer G.S.—Relaxation Methods for Measuring Residual Stresses: Techniques and Opportunities 50(8), 1117–1127.

Schajer G.S.—Residual Stress Determination Using Cross-Slitting and Dual-Axis ESPI 50(2), 169–177.

Schoeppner G.A.—High Temperature Nanoindentation of PMR-15 Polyimide 50(4), 491–499.

Schouveiler L.—A Unified Introduction to Fluid Mechanics of Flying and Swimming at High Reynolds Number 50(9), doi:10.1007/s11340-009-9289-7.

Severin I.—Damage of Optical Fibers Under Wet Environments 50(8), 1225–1234.

Sexton R.—Identification of Cable Forces on Cable-Stayed Bridges: A Novel Application of the MUSIC Algorithm 50(7), 957–968.

Shahani A.R.—Experimental Investigation and Finite Element Analysis of Fatigue Crack Growth in Pipes Containing a Circumferential Semi-elliptical Crack Subjected to Bending 50(5), 563–573.

Shahhosseini A.—Experimental Investigation and Finite Element Analysis of Fatigue Crack Growth in Pipes Containing a Circumferential Semi-elliptical Crack Subjected to Bending 50(5), 563–573.

Sharpe, Jr. W.N.—High-frequency High-temperature Optical Strain/Displacement Gage 50(2), 227–237.

Shen X.—The Effects of Fluid Viscosity on the Kinematics and Material Properties of *C. elegans* Swimming at Low Reynolds Number 50(9), doi:10.1007/s11340-010-9339-1.

Shilo D.—The Mechanical Response of Shape Memory Alloys Under a Rapid Heating Pulse 50(6), 803–811.

Shim W.S.—A Study on Hydraulic Autofrettage of Thick-Walled Cylinders Incorporating Bauschinger Effect 50(5), 621–626.

Shinozaki D.M.—Temperature Dependent Viscoelastic Properties of Polymers Investigated by Small-Scale Dynamic Mechanical Analysis 50(1), 71–77.

Shiu K.-S.—Novel Microtensile Method for Monotonic and Cyclic Testing of Freestanding Copper Thin Films 50(1), 55–64.

Shockey D.A.—Load-Deformation Behavior of Nitinol Stents 50(6), 835–843.

Shodja M.M.—Experimental Investigation and Finite Element Analysis of Fatigue Crack Growth in Pipes Containing a Circumferential Semi-elliptical Crack Subjected to Bending 50(5), 563–573.

Shokrieh M.M.—Design of Modified Tabs for Testing of Symmetric Composite Thin Walled Tubes Under Pure Torsional and Tensile Loadings 50(3), 307–320.

Shukla A.—Experimental Fracture Mechanics of Functionally Graded Materials: An Overview of Optical Investigations 50(7), 845–865.

Siegmann P.—A Novel Experimental Approach for Calculating Stress Intensity Factors from Isochromatic Data 50(2), 273–281.

Simon P.—On the Use of NURBS Functions for Displacement Derivatives Measurement by Digital Image Correlation 50(7), 1099–1116.

Simons J.W.—Load-Deformation Behavior of Nitinol Stents 50(6), 835–843.

Smith C.W.—Elastic Deformation of Materials under Distributed Shear Loading 50(5), 651–659.

Socha J.J.—Effects of Body Cross-sectional Shape on Flying Snake Aerodynamics 50(9), doi:10.1007/s11340-010-9351-5.

Socrate S.—Comparison of Low Impedance Split-Hopkinson Pressure Bar Techniques in the Characterization of Polyurea 50(7), 931–940.

Sol H.—Resonant-Based Identification of the Poisson's Ratio of Orthotropic Materials 50(4), 437–447.

Song B.—High-rate Characterization of 304L Stainless Steel at Elevated Temperatures for Recrystallization Investigation 50(4), 553–560.

Song S.-A.—Wrinkle-Based Measurement of Elastic Modulus of Nano-Scale Thin Pt Film Deposited on Polymeric Substrate: Verification and Uncertainty Analysis 50(5), 635–641.

Sottos N.R.—Digital Image Correlation for Improved Detection of Basal Cell Carcinoma 50(6), 813–824.

Sottos N.R.—Local Strain Concentrations in a Microvascular Network 50(2), 255–263.

Soulat D.—Experimental Study of Bending Behaviour of Reinforcements 50(3), 333–351.

Stout M.G.—Mini-Tensile Experiments of Clock-Rolled Zirconium Plate 50(1), 65–70.

Strabala K.—Experimentally Evaluating Equilibrium Stress in Uniaxial Tests 50(6), 709–716.

Suarez S.S.—How do Sperm get to the Egg? Bioengineering Expertise Needed! 50(9), doi:10.1007/s11340-009-9312-z.

Sugano K.—Tensile and Tensile-Mode Fatigue Testing of Microscale Specimens in Constant Humidity Environment 50(4), 509–516.

Sun W.—Real-time Detection and Analysis of Damage in High-performance Concrete under Cyclic Bending 50(3), 413–428.

Süss T.—Novel Method for Analyzing Crack Growth in Polymeric Microtensile Specimens by *In Situ* Atomic Force Microscopy 50(4), 463–472.

Swanson J.—Identification of Cable Forces on Cable-Stayed Bridges: A Novel Application of the MUSIC Algorithm 50(7), 957–968.

Swenson H.—Measuring Multiple Residual-Stress Components using the Contour Method and Multiple Cuts 50(2), 187–194.

Szekrényes A.—Crack Stability of Fracture Specimens used to Test Unidirectional Fiber Reinforced Material 50(4), 473–482.

Sznitman J.—The Effects of Fluid Viscosity on the Kinematics and Material Properties of *C. elegans* Swimming at Low Reynolds Number 50(9), doi:10.1007/s11340-010-9339-1.

Tabata O.—Tensile and Tensile-Mode Fatigue Testing of Microscale Specimens in Constant Humidity Environment 50(4), 509–516.

Takahashi D.—Strain Separation on a Nonplanar Object Using a Luminescent Photoelastic Coating 50(3), 365–375.

Tandon G.P.—High Temperature Nanoindentation of PMR-15 Polyimide 50(4), 491–499.

Tannenbaum J.M.—A Load-Based Multiple-Partial Unloading Micro-Indentation Technique for Mechanical Property Evaluation 50(6), 737–743.

Tao H.—Mode I Fracture at Spot Welds in Dual-Phase Steel: An Application of Reverse Digital Image Correlation 50(8), 1199–1212.

Tayon W.—EBSD Study of Delamination Fracture in Al-Li Alloy 2090 50(1), 135–143.

Tessier-Doyen N.—Experimental Evidence of Thermal Effects in Multiphase Ceramic Specimens Subjected to Cyclic Loading 50(7), 979–992.

Thuillier S.—Classical and Roll-hemming Processes of Prestrained Metallic Sheets 50(7), 1087–1097.

Tippur H.V.—Experimental Fracture Mechanics of Functionally Graded Materials: An Overview of Optical Investigations 50(7), 845–865.

Toledo M.W.—Erratum: Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1023.

Toledo M.W.—Vibration Analysis of Perforated Plates Using Time-Average Digital Speckle Pattern Interferometry 50(7), 1013–1021.

Tomar V.—Effect of Compressive Straining on Nanoindentation Elastic Modulus of Trabecular Bone 50(6), 773–781.

Tomé C.N.—Detwinning of Pure Zirconium: In-Situ Neutron Diffraction Experiments 50(1), 125–133.

Tomé C.N.—Mini-Tensile Experiments of Clock-Rolled Zirconium Plate 50(1), 65–70.

Tong C.-J.—Novel Microtensile Method for Monotonic and Cyclic Testing of Freestanding Copper Thin Films 50(1), 55–64.

Tong W.—Mode I Fracture at Spot Welds in Dual-Phase Steel: An Application of Reverse Digital Image Correlation 50(8), 1199–1212.

Tsuchiya T.—Tensile and Tensile-Mode Fatigue Testing of Microscale Specimens in Constant Humidity Environment 50(4), 509–516.

Umbanhowar P.B.—The Effect of Limb Kinematics on the Speed of a Legged Robot on Granular Media 50(9), doi:10.1007/s11340-010-9347-1.

Usov I.—Mini-Tensile Experiments of Clock-Rolled Zirconium Plate 50(1), 65–70.

Valle V.—In Plane Displacement Formulation for Finite Cracked Plates Under Mode I Using Grid Method and Finite Element Analysis 50(3), 401–412.

van Keulen F.—A Review of External Pressure Testing Techniques for Shells including a Novel Volume-Control Method 50(6), 753–772.

Vaz Jr. M.—Parameter Identification of Damage Models Using Genetic Algorithms 50(5), 627–634.

Viator J.A.—Digital Image Correlation for Improved Detection of Basal Cell Carcinoma 50(6), 813–824.

Vitale S.—A New Perspective in Adhesion Science and Technology: Testing Dynamic Failure of Adhesive Junctions for Space Applications 50(8), 1213–1223.

Vollach S.—The Mechanical Response of Shape Memory Alloys Under a Rapid Heating Pulse 50(6), 803–811.
Wagner J.—EBSD Study of Delamination Fracture in Al-Li Alloy 2090 50(1), 135–143.
Wakabayashi M.—An Intelligent Hybrid Measurement Method for Steady Temperature Field 50(8), 1149–1155.
Walaszek H.—Microstructure Effect on the Lcr Elastic Wave for Welding Residual Stress Measurement 50(2), 179–185.
Wang K.—Dynamic Separation of Resistance Spot Welded Joints: Part I—Experiments 50(7), 889–900.
Wang K.—Dynamic Separation of Resistance Spot Welded Joints: Part II—Analysis of Test Results and a Model 50(7), 901–913.
Wang Q.Z.—Erratum: Rock Dynamic Fracture Toughness Tested with Holed-Cracked Flattened Brazilian Discs Diametrically Impacted by SHPB and its Size Effect 50(7), 887.
Wang Q.Z.—Rock Dynamic Fracture Toughness Tested with Holed-Cracked Flattened Brazilian Discs Diametrically Impacted by SHPB and its Size Effect 50(7), 877–885.
Wang W.J.—Assessment of Non-Adiabatic Behaviour in Thermoelastic Stress Analysis of Small Scale Components 50(4), 449–461.
Wang Y.—Mini-Tensile Experiments of Clock-Rolled Zirconium Plate 50(1), 65–70.
Wang Z.G.—On the Plastic Wave Propagation Along the Specimen Length in SHPB Test 50(7), 1061–1074.
Warren T.L.—Perforation of 5083-H116 Aluminum Armor Plates with Ogive-Nose Rods and 7.62 mm APM2 Bullets 50(7), 969–978.
Warren T.L.—TECHNICAL NOTE: Comments on the Effect of Radial Inertia in the Kolsky Bar Test for an Incompressible Material 50(8), 1253–1255.
Warren T.L.—TECHNICAL NOTE: Perforation of 7075-T651 Aluminum Armor Plates with 7.62 mm APM2 Bullets 50(8), 1245–1251.
White S.R.—Local Strain Concentrations in a Microvascular Network 50(2), 255–263.
Wiechers J.—Elastic Deformation of Materials under Distributed Shear Loading 50(5), 651–659.
Williams M.S.—Grandstand Simulator for Dynamic Human-Structure Interaction Experiments 50(6), 825–834.
Withey E.A.—Nanomechanical Testing of Gum Metal 50(1), 37–45.
Wojtas N.—Novel Method for Analyzing Crack Growth in Polymeric Microtensile Specimens by *In Situ* Atomic Force Microscopy 50(4), 463–472.
Xia K.—A Semi-Circular Bend Technique for Determining Dynamic Fracture Toughness 50(6), 783–791.
Xiao X.—Displacement and Strain Measurement by Circular and Radial Gratings Moiré Method 50(2), 239–244.
Xie H.P.—Erratum: Rock Dynamic Fracture Toughness Tested with Holed-Cracked Flattened Brazilian Discs Diametrically Impacted by SHPB and its Size Effect 50(7), 887.
Xie H.P.—Rock Dynamic Fracture Toughness Tested with Flattened Brazilian Discs Diametrically Impacted by SHPB and its Size Effect 50(7), 877–885.
Xu D.—Bulge Testing Transparent Thin Films with Moiré Deflectometry 50(2), 217–225.
Xu L.R.—TECHNICAL NOTE: Effect of the Interfacial Stress Distribution on the Material Interfacial Shear Strength Measurement 50(2), 283–288.
Xu S.—The Evolution of the Field of Biomechanics Through the Lens of Experimental Mechanics 50(6), 667–682.
Yagnamurthy S.—Experimental Investigation of Strain Rate Dependence in Nanocrystalline Pt Films 50(1), 25–35.
Yamaji Y.—Tensile and Tensile-Mode Fatigue Testing of Microscale Specimens in Constant Humidity Environment 50(4), 509–516.
Ye J.—Nanomechanical Testing of Gum Metal 50(1), 37–45
Yeomans J.M.—Hydrodynamic Interactions at Low Reynolds Number 50(9), doi:10.1007/s11340-010-9387-6.
Yin W.Q.—Shrinkage Measurement in Concrete Materials using Cure Reference Method 50(7), 999–1012.
Yoon C.-Y.—Development of an Optical System for Simultaneous Ultrasonic Propagation Imaging at Multipoints 50(7), 1041–1049.
Yoon S.J.—Fracture Evaluation in a Ceramic Spherical Dome Port Under Shock Impact 50(5), 589–597.
Yuan J.—Following the Behavior of the Flagellar Rotary Motor Near Zero Load 50(9), doi:10.1007/s11340-009-9290-1.
Zahlan N.—Elastic Deformation of Materials under Distributed Shear Loading 50(5), 651–659.
Zahr J.—Determination of the Constitutive Relation Parameters of a Metallic Material by Measurement of Temperature Increment in Compressive Dynamic Tests 50(3), 389–397.
Zahr J.—ERRATUM: Determination of the Constitutive Relation Parameters of a Metallic Material by Measurement of Temperature Increment in Compressive Dynamic Tests 50(3), 399.
Zavattieri P.D.—Mode I Fracture at Spot Welds in Dual-Phase Steel: An Application of Reverse Digital Image Correlation 50(8), 1199–1212.
Zhang S.—Erratum: Rock Dynamic Fracture Toughness Tested with Holed-Cracked Flattened Brazilian Discs Diametrically Impacted by SHPB and its Size Effect 50(7), 887.

Zhang S.—Rock Dynamic Fracture Toughness Tested with Holed-Cracked Flattened Brazilian Discs Diametrically Impacted by SHPB and its Size Effect 50(7), 877–885.

Zhou B.—A Discontinuous Elastic Interface Transfer Model of Thin Film Nanoindentation 50(6), 793–801.

Zhou G.—Experimental Evidence of Thermal Effects in Multiphase Ceramic Specimens Subjected to Cyclic Loading 50(7), 979–992.

Zhu X.—Dynamic Separation of Resistance Spot Welded Joints: Part II—Analysis of Test Results and a Model 50(7), 901–913.

Zhu X.-K.—Dynamic Separation of Resistance Spot Welded Joints: Part I—Experiments 50(7), 889–900.

Zuccarello B.—Measuring Multiple Residual-Stress Components using the Contour Method and Multiple Cuts 50(2), 187–194.